Rhodora

JOURNAL OF THE NEW ENGLAND BOTANICAL CLUB

ROLLA M. TRYON, Editor-in-Chief RUSSELL R. WALTON, Managing Editor

Associate Editors

ALFRED LINN BOGLE GERALD J. GASTONY GARRETT E. CROW NORTON G. MILLER DONALD H. PFISTER ROBERT T. WILCE

VOLUME 83

1981

The New England Botanical Club, Inc. Botanical Museum, Oxford Street, Cambridge, Mass. 02138



INDEX TO VOLUME 83

New scientific names are printed in bold face

- Acer (Aceraceae). The pollen morphology of the native New England species of the genus, 237-258
- Adams, Ralph M. see Sauleda, Ruben P.
- Alabama and middle Tennessee. Further additions to some notes on the flora of the southern states, particularly. 301-315
- Alsophila aminta, nom. nov. 149
- Angelo, Ray. Pyrus sieboldii (Rosaceae) naturalizing in Massachusetts 161-162
- Another station for Conopholis americana (Orobanchaceae) in New Hampshire 158
- Argentina. Taxonomic and nomenclatural notes on the flora of Isla de los Estados (Staten Island), Tierra del Fuego, 477
- Armeria maritima subsp. andina var. goodalliana, var. nov. 488
- Aster 521-550. A acuminatus 524, Map 526; X blakei 533, Map 537; nemoralis 529, Map 532; Ecology 522; Habitat & distribution 524; Post-glacial history 533
- Aster acuminatus Michaux and A. nemoralis Aiton (Asteraceae: Astereae). An ecogeographical analysis of the distribution of, 521-550
- Astragalus equisolensis, sp. nov. 457 Astragalus section Desperati (Leguminosae) and a new species from the Uinta basin of Utah 455-460
- Autecological aspects of Diapensia lapponica L. in Newfoundland 101-109
- Bahama archipelago. The genus Oncidium Sw. (Orchidaceae) in the, 87-100

- Belize. A list of the Dicotyledonae of, 161-236
- Bogle, A. Linn see Philbrick, C. Thomas
- Book review: An illustrated synoptical flora of Baja California 151-153
- Books received and literature for New England botanists, 474
- Boufford, David E. Another station for Conopholis americana (Orobanchaceae) in New Hampshire 158
- Britton, Donald M. see Sarvela, Jaakko Brouillet, Luc & Jean-Pierre Simon. An ecogeographical analysis of the distribution of Aster acuminatus Michaux and A. nemoralis Aiton (Asteraceae: Astereae) 521-550
- Bryological relicts in western Massachusetts. Late Pleistocene, 441-448
- Caltha × goodalliana, hybrida nova 490; see Table I, Distinguishing Caltha dionaeifolia, C. appendiculata, and C. × goodalliana, 493
- Cantino, Philip D. Change of status for Physostegia virginiana var. ledinghamii (Labiatae) and evidence for a hybrid origin, 111-118
- Cantino, Philip D. The Physostegia purpurea - leptophylla - denticulata problem: taxonomic and nomenclatural clarification 581-593
- Carex in Minnesota. New records of, 119-124
- Carices. Chromosome numbers of some northern New Jersey, 461-464
- Centratherum and Phyllocephalum (Compositae: Vernonieae). Taxonomic revision of, 1-24
- Centratherum and Phyllocephalum 1-24. Centratherum 14, Key 15;

C. confertum, nom. nov. 21; C. punctatum Cass. ssp. australianum, ssp. nov. 21; C. punctatum Cass. ssp. fruticosum, ssp. nov. 20; Chromosome numbers 4, fig. 6, 7; Distributions—Centratherum 16, Phyllocephalum 11; Doubtful and excluded species, 23; Phyllocephalum 9, Key 10; P. indicum, comb. nov. 12; P. scabridum, comb. nov. 10; Pollen 2, fig. 5; Pollen stainability 4; Summary of generic character differences 9; Trichomes 2, fig. 3

Change of status for Physostegia virginiana var. ledinghamii (Labiatae) and evidence for a hybrid origin 111-118

Cheilanthes 133. C. arequipensis, comb. nov.; C. concolor, comb. nov.; C. decora, comb. nov.; C. geraniifolia, comb. nov.; C. lonchophylla, comb. nov.; C. Lozanii, comb. nov.; C. skinneri, comb. nov.; C. venusta, comb. nov.

Chromosome numbers of some northern New Jersey Carices 461-464

Chrysopsis 323–384. C. floridana 360; godfreyi 363, f. godfreyi 365, f. viridis 365; gossypina 372, ssp. cruiseana 373, ssp. hyssopifolia 375, ssp. gossypina 377 (f. decumbens 381, f. gossypina 379, f. trichophylla 380); Historical review 325; Key to taxa 347; lanuginosa 362; latisquamea 365; mariana 349; pilosa 353; Relationships within, 337; scabrella 357; subulata 370; Systematic treatment 343

Chrysopsis (Nutt.) Ell. nom. cons. (Compositae: Astereae). A revision of the goldenaster genus, 323-384

Church, George L. see Crow, Garrett E. Conant, David S. A new name for a Puerto Rican tree fern 149

Connecticut. Sarracenia purpurea L. forma heterophylla (Eaton) Fernald: new to. 159-160

Conopholis americana (Orobanchaceae)

in New Hampshire. Another station for, 158

Countryman, William D. see Crow, Garrett E.

Cranfill, Raymond, & Max E. Medley. Notes on the flora of Kentucky: New and interesting plants in Kentucky 125-131

Crow, Garrett E., William D. Countryman, George L. Church, Leslie M. Eastman, C. Barre Hellquist, Leslie L. Mehrhoff, & Irene M. Storks. Rare and endangered vascular plant species in New England 259-299

Cuttyhunk Island, Massachusetts: with an analysis of vegetational changes over the past half century. The flora of, 25-58

Cyrtomium dubium, comb. nov. 134

Day, Robin T., & Peter J. Scott. Autecological aspects of Diapensia lapponica L. in Newfoundland 101-109

Diapensia lapponica L. in Newfoundland. Autecological aspects of, 101-109

Distribution and abundance of Eupatorium leucolepis var. novae-angliae 449-454

Drosera anglica Huds., new to New England 163-165

Dudley, T. R. Taxonomic and nomenclatural notes on the flora of Isla de los Estados (Staten Island), Tierra del Fuego, Argentina 477-519

Dwyer, John D., & David L. Spellman. A list of the Dicotyledonae of Belize 161-236

Eastman, Leslie M. see Crow, Garrett E.

Eastman, L. M. Drosera anglica Huds., new to New England 163-165

Ecogeographical analysis of the distribution of Aster acuminatus Michaux and A. nemoralis Aiton (Asteraceae: Asterace). An, 521-550 Eupatorium leucolepis var. novae-angliae. Distribution and abundance of, 449-454

Euthamia 551-579. E. galetorum 559; graminifolia 560, var. graminifolia 560, var. graminifolia 564; gymnospermoides 564; hirtipes 569; History 551; Key to the species of, 557; leptocephala 570; Morphology 553; occidentalis 572; pulverulenta 573; Systematic treatment 556; Table I, Comparison of E. graminifolia north of the Tension Zone in Wisconsin and E. gymnospermoides 568; tenuifolia 574

Euthamia. The taxonomy of the genus, 551-579

Ferns of the Shawnee National Forest (Illinois) 433-440

Ferns. Taxonomic and nomenclatural notes on, 133-137

Field trip announcement. Inside back cover, April

Field trip announcement: Mt. Washington, N.H. Inside back cover, July

Flora of Cuttyhunk Island, Massachusetts; with an analysis of vegetational changes over the past half century 25-58

Forestiera (Oleaceae). The typification of the genus, 465-470

Further additions to some notes on the flora of the southern states, particularly Alabama and middle Tennessee 301-315

Galactia smallii: a new name for G. prostrata Small 471-472

Galactia smallii, nom. nov. 471

Gamochaeta malvinensis, comb. nov. 478

Genus Oncidium Sw. (Orchidaceae) in the Bahama archipelago. The, 87-

Glime, Janice M., & Roanna Holcomb. Tetraphis geniculata: a new location for a rare moss in New England 156-157

Grammitis magellanica f. nana, comb. nov. 483

Gymnocarpium robertianum complex in North America. Studies on the, 421-431

Hellquist, C. Barre. see Crow, Garrett

Hellquist, C. Barre. The rediscovery of Juncus stygius in Maine 321-322

Herndon, Alan. Galactia smallii: a new name for G. prostrata Small 471-472 Holcomb, Roanna. see Glime, Janice

Holcomb, Roanna. see Glime, Janice M.

Hydrocharis morsus-ranae (Hydrocharitaceae): new to the United States 147-148

Hymenophyllum 134. H. subg. Hymenoglossum, stat. nov.; H. subg. Rosenstockia, stat. nov.

Illinois. Ferns of the Shawnee National Forest, 433-440

Instructions to contributors to Rhodora.
Inside back cover, Jan.

Isla de los Estados (Staten Island), Tierra del Fuego, Argentina. Taxonomic and non-enclatural notes on the flora of, 477-519

Jones, Samuel B., Jr. Synoptic classification and pollen morpology of Vernonia (Compositae: Vernoniae) in the Old World 59-75

Juncus stygius in Maine. The rediscovery of, 321-322

Karyotype relationships of native New World Vicia species (Leguminosae) 595-606

Kentucky: new and interesting plants in Kentucky. Notes on the flora of, 125-131

- Kirkman, L. Katherine. Taxonomic revision of Centratherum and Phyllocephalum (Compositae: Vernoniae) 1-24
- Kral, Robert. Further additions to some notes on the flora of the southern states, particularly Alabama and middle Tennessee 301-315
- Lagenifera hariotii, comb. nov. 481 Lagenifera nudicaulis, comb. nov. 482
- Lassetter, J. Stuart. see Veerasethakul, Sudarantana
- Late Pleistocene bryological relicts in western Massachusetts 441-448
- Lemon-scented Pycnanthemum (Lamiaceae). A, 145-146
- List of the Dicotyledonae of Belize. A, 161-236
- Literature for New England botanists 607
- Littlefield, Edward W. More on Pinus Banksiana in New York 317-318
- Maine. The rediscovery of Juneus stygius in, 321-322
- Massachusetts. Late Pleistocene bryological relicts in western, 441-448
- Massachusetts. Pyrus sieboldii (Rosaceae) naturalizing in, 161-162
- Massachusetts: with an analysis of vegetational changes over the last half century. The flora of Cuttyhunk Island. 25-58
- Matekaitis, Penny. see Sørensen, Paul
- Medley, Max E. see Cranfill, Raymond Mehrhoff, Leslie L. see Crow, Garrett
- Microlepis concinna, nom. nov. 135 Minnesota. New records of Carex in, 119-124
- Mitchell, Richard S. see Roberts, Marvin L.
- Mohlenbrock, Robert H. Ferns of the Shawnee National Forest (Illinois) 433-440

- More on Pinus Banksiana in New York 317-318
- Muir, M. A. see Stutts, John G.
- NEBC Field trip: New Haven, Connecticut 475-476
- Neese, Elizabeth, & Stanley L. Welsh.
 Astragalus section Desperati (Leguminosae) and a new species from the
 Uinta Basin of Utah 455-460
- New and interesting additions to the flora of Nova Scotia 139-140
- New England. Tetraphis geniculata: a new location for a rare moss in, 156-
- New England. Drosera anglica Huds., new to, 163-165
- New England Notes:
 - Another station for Conopholis americana (Orobanchaceae) in New Hampshire 158
 - Drosera anglica Huds., new to New England 163-165
 - Pyrus sieboldii naturalizing in Massachusetts 161-162
 - Sarracenia purpurea L. forma heterophylla (Eaton) Fernald: new to Connecticut 159-160
 - Tetraphis geniculata: a new location for a rare moss in New England 156-157
- New England. Rare and endangered vascular plant species in, 259-299
- New England species of the genus Acer (Aceraceae). The pollen morphology of the native, 237-258
- Newfoundland. Auteological aspects of Diapensia lapponica L. in, 101-109
- New Hampshire. Another station for Conopholis americana in, 158
- New Hampshire population of Podostemum ceratophyllum Michx. (Podostemaceae). Some notes regarding pollination in a, 319-321
- New name for a Puerto Rican tree fern.

 A. 149

- New Jersey Carices. Chromosome numbers of some northern, 461-464
- New records of Carex in Minnesota 119-124
- New records of tree ferns from Venezuela 141-143
- New World Vicia species (Leguminosae). Karyotype relationships of native, 595-606
- New York. More on Pinus Banksiana in, 317-318
- North America. Studies on the Gymnocarpium robertianum complex in, 421-431
- Notes on the flora of Kentucky: New and interesting plants in Kentucky 125-131
- Notices of publication:
 - CBE Style Manual, 4th edition 473 Scientific Writing for Graduate Students 473
 - Vascular Plants of Continental Northwest Territories, Canada 155
- Nova Scotia. New and interesting additions to the flora of, 139-140
- Odontosoria 135. O. Killipii, comb. nov.; O. spathulata, comb. nov.
- Old World. Synoptic classification and pollen morphology of Vernonia (Compositae: Vernonieae) in the, 59-75
- Oncidium Sw. (Orchidaceae) in the Bahama Archipelago. The genus, 87-100
- O'Neill, Sharman D. The flora of Cuttyhunk Island, Massachusetts: with an analysis of vegetational changes over the past half century 25-58
- Ortega, Francisco, see Steyermark, Julian A.
- Pellaea section Ormopteris, stat. nov.
- Philbrick, C. Thomas. Some notes regarding pollination in a New Hampshire population of Podostemum ceratophyllum Michx. (Podostemaceae) 319-321

- Philbrick, C. Thomas, & A. Linn Bogle. The pollen morphology of the native New England species of Acer (Aceraceae) 237-258
- Phyllocephalum (Compositae:Vernonieae). Taxonomic revision of Centratherum and, 1-24. (see Centratherum)
- Physostegia ledinghamii (Boivin) Cantino, comb. et stat. nov. 111
- Physostegia purpurea-leptophylla-denticulata problem: taxonomic and nomenclatural clarification. The, 581-593
- Physostegia virginiana var. ledinghamii (Labiatae) and evidence for a hybrid origin. Change in status for, 111-118
- Pinus Banksiana in New York. More on, 317-318
- Piptocoma Cass. Taxonomic revision of; 77-86
- Piptocoma 77-86. Chromatograms 84; distribution 79; key 81; leaf flavonoids (tables) 80, 81, 83
- Pleistocene bryological relicts in western Massachusetts. Late, 441-448
- Podostemum ceratophyllum Michx. (Podostemaceae). Some notes regarding pollination in a New Hampshire population of, 319-321
- Pollalesta H.B.K. (Compositae: Vernonieae). Taxonomic revision of, 385-419
- 385-419. Pollalesta P. acuminata 405; areolata 406; barinensis 405; discolor 400; distribution 404, 409, 414; excluded names 416; flavonoid chemistry 389 (chromatograph 389, tables 390, 392, 396); faustiana, sp. nov. 414; hypochlora 402; key to the subgenera and species 398; macrophylla 410; milleri 415; morphology 395; neglecta, sp. nov. 412; niceforoi 411; palynology 387; rarissima, sp. nov. 412; roraimensis 409; schomburgkii 413; spruceana 407; subg. Dialesta 400; subg. Odontoloma 402; subg. Pollalesta 406;

taxonomic history 385; trujillensis 403; vernonioides 409

Pollen morphology of the native New England species of the genus Acer (Aceraceae). The, 237-258

Pollen morphology of Vernonia (Compositae: Vernonieae) in the Old World. Synoptic classification and, 59-75

Pollination in a New Hampshire population of Podostemum ceratophyllum Michx. (Podostemaceae). Some notes on, 319-321

Polystichum speciosissimum, comb. nov. 136

Pleistocene bryological relicts in western Massachusetts. Late, 441-448

Prange, Robert K., Christene L. Rafuse, & Albert E. Roland. New and interesting additions to the flora of Nova Scotia 139-140

Pryer, Kathleen. see Sarvela, Jaakko Pteridacene tribe Platyzomatacene, stat.

Puerto Rican tree fern. A new name for a,

Pycnanthemum (Lamiaceae). A lemonscented, 145-146

Pycnanthemum virginianum f. citriodora, f. nov. 145

Pyrus sieboldii (Rosaceae) naturalizing in Massachusetts 161-162

Rafuse, Christene L. see Prange, Robert

Rare and endangered vascular plant species in New England 259-299

Rediscovery of Juneus stygius in Maine, The, 321-322

Revision of the goldenaster genus Chrysopsis (Nutt.) Ell. nom. cons. (Compositae: Astereae). A. 323-384

Roberts, Marvin L., Ronald L. Stuckey, Richard S. Mitchell. Hydrocharis morsus-ranae (Hydrocharitaceae): new to the United States 147-148

Robinson, James T. Sarracenia purpurea L. forma heterophylla (Eaton) Fernald: New to Connecticut 159-160

Roland, Albert E. see Prange, Robert K.

Sarracenia purpurea L. forma heterophylla (Eaton) Fernald: New to Connecticut 159-160

Sarvela, Jaakko, Donald M. Britton, & Kathleen Pryer. Studies on the Gymnocarpium robertianum complex in North America 421-431

Sauleda, Ruben P., & Ralph M. Adams.
The genus Oncidium Sw. (Orchidaceae) in the Bahama Archipelago 87-100

Schuster, R. M. Late Pleistocene bryological relicts in western Massachusetts 441-448

Scott, Peter J. see Day, Robin T.

Semple, John C. A revision of the goldenaster genus Chrysopsis (Nutt.) Ell. nom. cons. 323-384

Shawnee National Forest (Illinois). Ferns of the, 433-440

Sieren, David J. The taxonomy of the genus Euthamia 551-579

Simon, Jean-Pierre. see Brouillet, Luc Some notes regarding pollination in a New Hampshire population of Podostemum ceratophyllum Michx. (Podostemaceae) 319-321

Sørensen, Paul D., & Penny Matekaitis. A lemon-scented Pycnanthemum (Lamiaceae) 145-146

Sorrie, Bruce A. Distribution and abundance of Eupatorium leucolepis var. novae-angliae 449-454

Spellman, David L. see Dwyer, John

Steyermark, Julian A., & Francisco Ortega. New records of tree ferns from Venezuela 141-143

Stigmatopteris paludosa, comb. nov. 136

Storks, Irene M. see Crow, Garrett E.

- Stuckey, Ronald L. see Roberts, Marvin L.
- Studies on the Gymnocarpium robertianum complex in North America 421-431
- Stutts, John G. Taxonomic revision of Pollalesta H.B.K. (Compositae:Vernonieae) 385-419
- Stutts, John G., & M. A. Muir. Taxonomic revision of Piptocoma Cass. (Cosmpositae: Vernonieae) 77-86
- Synoptic classification and pollen morphology of Vernonia (Compositae: Vernoniaee) in the Old World 59-75
- Taxonomic and nomenclatural notes on ferns 133-137
- Taxonomic and nomenclatural notes on the flora of Isla de los Estados (Staten Island), Tierra del Fuego, Argentina 477-519
- Taxonomic revision of Pollalesta H.B.K. (Compositae: Vernonieae) 385-419
- Taxonomy of the genus Euthamia. The, 551-579
- Taxonomic revision of Centratherum and Phyllocephalum (Compositae: Vernonieae) 1-24
- Tectaria 136. T. Amphiblestra, nom. nov.; T. panamanensis, comb. nov.; T. pedata, comb. nov.; T. pinnata, comb. nov.; T. prolifera, comb. nov.
- Tennessee. Further additions to some notes on the flora of the southern states, particularly Alabama and middle. 301-315
- Tetraphis geniculata: a new location for a rare moss in New England 156-157
- Tierra del Fuego, Argentina. Taxonomic and nomenclatural notes on the flora of Isla de los Estados (Staten Island), 477-519

- Trachypteris induta, comb. nov. 137 Tryon, Alice. see Tryon, Rolla
- Tryon, Rolla, & Alice Tryon. Taxonomic and nomenclatural notes on ferns 133-137
- Typification of the genus Forestiera (Oleaceae). The, 465-470
- Uinta Basin of Utah. Astragalus section Desperati (Leguminosae) and a new species from the, 455-460
- United States. Hydrocharis morsusranae (Hydrocharitaceae): new to the, 147-148
- Utah. Astragalus section Desperati (Leguminosae) and a new species from the Uinta Basin of, 455-460
- Veerasethakul, Sudaratana, & J. Stuart Lassetter. Karyotype relationships of native New World Vicia species (Leguminosae) 595-606
- Venezuela. New records of tree ferns from, 141-143
- Vernonia (Compositae: Vernonieae) in the Old World. Synoptic classification and pollen morphology of, 59-
- Vicia species (Leguminosae). Karyotype relationships of native New World, 595-606
- Welsh, Stanley L. see Neese, Elizabeth Wheeler, Gerald A. New records of Carex in Minnesota 119-124
- Whitkus, Richard. Chromosome numbers of some northern New Jersey Carices 461-464
- Wilbur, Robert L. The typification of the genus Forestiera (Oleaceae) 465-470



